


Amendments to the Claims

This claim set replaces all previous claims in this application.

1. (Original) A pharmaceutical composition which comprises a pharmaceutically acceptable carrier or diluent and:
  - (a) an inhibitor of the RSV fusion protein; and
  - (b) a benzodiazepine derivative capable of inhibiting RSV replication.
2. (Previously presented) A composition according to claim 1, wherein component (b) is a compound of formula (V), or a pharmaceutically acceptable salt thereof,



wherein:

$R^1$  represents  $C_{1-6}$  alkyl, aryl or heteroaryl;

$R^2$  represents hydrogen or  $C_{1-6}$  alkyl;

each  $R^3$  is the same or different and represents halogen, hydroxy,  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy,  $C_{1-6}$  alkylthio,  $C_{1-6}$  haloalkyl,  $C_{1-6}$  haloalkoxy, amino, mono( $C_{1-6}$  alkyl)amino, di( $C_{1-6}$  alkyl)amino, nitro, cyano,  $-CO_2R'$ ,  $-CONR'R''$ ,  $-NH-CO-R'$ ,  $-S(O)R'$ ,  $-S(O)_2R'$ ,  $-NH-S(O)_2R'$ ,  $-S(O)NR'R''$  or  $-S(O)_2NR'R''$ , wherein each  $R'$  and  $R''$  is the same or different and represents hydrogen or  $C_{1-6}$  alkyl;

$n$  is from 0 to 3;

$R^4$  represents hydrogen or  $C_{1-6}$  alkyl;

$R^5$  represents  $C_{1-6}$  alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-( $C_{1-6}$  alkyl)-, heteroaryl-( $C_{1-6}$  alkyl)-, carbocyclyl-( $C_{1-6}$  alkyl)-, heterocyclyl-( $C_{1-6}$  alkyl)-, aryl-( $C_{1-6}$  hydroxyalkyl)-, heteroaryl-( $C_{1-6}$  hydroxyalkyl)-, carbocyclyl-( $C_{1-6}$  hydroxyalkyl)-, heterocyclyl-( $C_{1-6}$  hydroxyalkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)-, carbocyclyl-C(O)-C(O)-, heterocyclyl-C(O)-C(O)- or  $-XR^6$ ;

X represents -CO-, -S(O)- or -S(O)<sub>2</sub>-; and

R<sup>6</sup> represents C<sub>1-6</sub> alkyl, hydroxy, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C<sub>1-6</sub> alkyl)-, heteroaryl-(C<sub>1-6</sub> alkyl)-, carbocyclyl-(C<sub>1-6</sub> alkyl)-, heterocyclyl-(C<sub>1-6</sub> alkyl)-, aryl-(C<sub>1-6</sub> alkyl)-O-, heteroaryl-(C<sub>1-6</sub> alkyl)-O-, carbocyclyl-(C<sub>1-6</sub> alkyl)-O-, heterocyclyl-(C<sub>1-6</sub> alkyl)-O- or -NR'R'' wherein each R' and R'' is the same or different and represents hydrogen, C<sub>1-6</sub> alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl, aryl-(C<sub>1-6</sub> alkyl)-, heteroaryl-(C<sub>1-6</sub> alkyl)-, carbocyclyl-(C<sub>1-6</sub> alkyl)- or heterocyclyl-(C<sub>1-6</sub> alkyl)-.

3. (Original) A composition according to claim 2 wherein:

each R<sup>3</sup> is the same or different and represents halogen, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, C<sub>1-6</sub> haloalkyl, C<sub>1-6</sub> haloalkoxy, amino, mono(C<sub>1-6</sub> alkyl)amino, di(C<sub>1-6</sub> alkyl)amino, nitro, cyano, -CO<sub>2</sub>R', -CONR'R'', -NH-CO-R', -S(O)R', -S(O)<sub>2</sub>R', -NH-S(O)<sub>2</sub>R' or -S(O)NR'R'', wherein each R' and R'' is the same or different and represents hydrogen or C<sub>1-6</sub> alkyl;

R represents C<sub>1-6</sub> alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C<sub>1-6</sub> alkyl)-, heteroaryl-(C<sub>1-6</sub> alkyl)-, carbocyclyl-(C<sub>1-6</sub> alkyl)-, heterocyclyl-(C<sub>1-6</sub> alkyl)- or -XR<sup>6</sup>;

X represents -CO-, -S(O)- or -S(O)<sub>2</sub>-; and

R<sup>6</sup> represents C<sub>1-6</sub> alkyl, hydroxy, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C<sub>1-6</sub> alkyl)-, heteroaryl-(C<sub>1-6</sub> alkyl)-, carbocyclyl-(C<sub>1-6</sub> alkyl)-, heterocyclyl-(C<sub>1-6</sub> alkyl)- or -NR'R'' wherein each R' and R'' is the same or different and represents hydrogen, C<sub>1-6</sub> alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl, aryl-(C<sub>1-6</sub> alkyl)- or heteroaryl-(C<sub>1-6</sub> alkyl)-.

4. (Previously presented) A composition according to claim 2, wherein R<sup>1</sup> is C<sub>1-2</sub> alkyl or aryl.

5. (Previously presented) A composition according to claim 2 wherein R<sup>2</sup> is hydrogen.

6. (Previously presented) A composition according to claim 2 wherein R<sup>3</sup> is halogen, hydroxy, C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkoxy, C<sub>1-4</sub> alkylthio, C<sub>1-4</sub> haloalkyl, C<sub>1-4</sub> haloalkoxy, amino, mono(C<sub>1-4</sub> alkyl)amino or di(C<sub>1-4</sub> alkyl)amino.

7. (Original) A composition according to claim 6, wherein  $R^3$  is fluorine, chlorine, bromine,  $C_{1-2}$  alkyl,  $C_{1-2}$  alkoxy,  $C_{1-2}$  alkylthio,  $C_{1-2}$  haloalkyl,  $C_{1-2}$  haloalkoxy, amino, mono( $C_{1-2}$  alkyl)amino or di ( $C_{1-2}$  alkyl)amino.
8. (Previously presented) A composition according to claim 2 wherein  $R^4$  is hydrogen or  $C_{1-2}$  alkyl.
9. (Previously presented) A composition according to claim 2 wherein  $R^5$  is  $C_{1-6}$  alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-( $C_{1-4}$  alkyl)-, heteroaryl-( $C_{1-4}$  alkyl)-, carbocyclyl-( $C_{1-4}$  alkyl)-, heterocyclyl-  $C_{1-4}$  alkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR<sup>6</sup>.
10. (Original) A composition according to claim 9, wherein  $R^5$  is  $C_{1-4}$  alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, phenyl-( $C_{1-2}$  alkyl)-, heteroaryl-( $C_{1-2}$  alkyl)-, phenyl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR<sup>6</sup>.
11. (Original) A composition according to claim 10, wherein  $R^5$  is  $C_{1-4}$  alkyl, phenyl, thienyl, furanyl, isoxazolyl, pyridyl, cyclopentyl, cyclohexyl, benzothienyl, dihydrobenzofuranyl, phenyl-CH<sub>2</sub>-, furanyl-CH<sub>2</sub>-, phenyl-C(O)-C(O)-, thienyl-C(O)-C(O)- or -XR<sup>6</sup>.
12. (Previously presented) A composition according to claim 2 wherein, X is -CO- or -S(O)<sub>2</sub>-.
13. (Previously presented) A composition according to claim 2 wherein, when  $R^6$  is a group NR'R'' wherein each R' and R'' is the same or different and represents hydrogen,  $C_{1-4}$  alkyl, aryl, carbocyclyl, heterocyclyl, aryl-( $C_{1-4}$  alkyl)- or heteroaryl-( $C_{1-4}$  alkyl)-.
14. (Original) A composition according to claim 13, wherein when  $R^6$  is a group -NR'R'' each R' and R'' is the same or different and represents hydrogen,  $C_{1-4}$  alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-CH<sub>2</sub>-.


15. (Original) A composition according to claim 14, wherein when  $R^6$  is a group  $-NR'R''$  and one of  $R'$  and  $R''$  is hydrogen.

16. (Previously presented) A composition according to claim 2 wherein  $R^6$  is  $C_{1-6}$  alkyl, hydroxy,  $C_{1-6}$  alkoxy,  $C_{1-6}$  alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-( $C_{1-4}$  alkyl)-, heteroaryl-( $C_{1-4}$  alkyl)-, carbocyclyl-( $C_{1-4}$  alkyl)-, heterocyclyl-( $C_{1-4}$  alkyl)-, aryl-( $C_{1-4}$  hydroxyalkyl)-, heteroaryl-( $C_{1-4}$  hydroxyalkyl)-, carbocyclyl-( $C_{1-4}$  hydroxyalkyl)-, heterocyclyl-( $C_{1-4}$  hydroxyalkyl)-, aryl-( $C_{1-4}$  alkyl)-O-, heteroaryl-( $C_{1-4}$  alkyl)-O-, carbocyclyl-( $C_{1-4}$  alkyl)-O-, heterocyclyl-( $C_{1-4}$  alkyl)-O- or  $-NR'R''$ .

17. (Original) A composition according to claim 16, wherein  $R^6$  is  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy,  $C_{1-6}$  alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, phenyl-( $C_{1-2}$  alkyl)-, phenyl-( $C_{1-2}$  alkyl)-O-, heteroaryl-( $C_{1-2}$  alkyl)-, phenyl-( $C_{1-2}$  hydroxyalkyl)-, heteroaryl-( $C_{1-2}$  hydroxyalkyl)- or  $-NR'R''$ .

18. (Original) A composition according to claim 17, wherein  $R^6$  is  $C_{1-4}$  alkyl,  $C_{1-4}$  alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl-( $C_{1-2}$  alkyl)-, phenyl- $CH_2CH(OH)-$ , phenyl- $CH(OH)CH_2-$ , phenyl-( $C_{1-2}$  alkyl)-O-, 1H-benzo[d]imidazol-2(3H)-onyl or  $-NR'R''$ .

19. (Previously presented) A composition according to claim 2 wherein the benzodiazepine derivative of formula (V) is a benzodiazepine derivative of formula



wherein:

$R^1$  is phenyl or methyl;

$R^3$  is methyl or chlorine;

n is 0 or 1;

R<sup>4</sup> is hydrogen or methyl;

R<sup>5</sup> is phenyl-CH<sub>2</sub>-, furanyl-CH<sub>2</sub>-, thienyl-C(O)-C(O)- or -XR<sup>6</sup>;

X is -CO- or -S(O)<sub>2</sub>-; and

R<sup>6</sup> is C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidyl, morpholinyl, phenyl-(C<sub>1-2</sub> alkyl)-, phenyl-CH<sub>2</sub>-CH(OH)-phenyl-CH(OH)-CH<sub>2</sub>-, phenyl-(C<sub>1-2</sub> alkyl)-O-, 1H-benzo[d]imidazol-2(3H)-onyl or -NR'R'' wherein each R' and R'' is the same or different and represents hydrogen, C<sub>1-4</sub> alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-(CH<sub>2</sub>)-, the phenyl moiety in the group R<sup>1</sup> being unsubstituted or substituted by a single fluorine, chlorine, C<sub>1-2</sub> alkyl, C<sub>1-2</sub> alkoxy, C<sub>1-2</sub> alkylthio, C<sub>1-2</sub> haloalkyl or C<sub>1-2</sub> haloalkoxy substituent;

the aryl moieties in the groups R<sup>5</sup> and R<sup>6</sup> being unsubstituted or substituted by 1, 2 or 3 substituents selected from fluorine, chlorine, bromine, iodine, C<sub>1-4</sub> alkyl, C<sub>2-4</sub> acyl, hydroxy, C<sub>1-4</sub> alkoxy, C<sub>1-4</sub> alkylthio, C<sub>1-4</sub> haloalkyl, C<sub>1-4</sub> haloalkoxy, amino, mono(C<sub>1-4</sub> alkyl)amino, di(C<sub>1-4</sub> alkyl)amino, nitro, -CO<sub>2</sub>R', -S(O)<sub>2</sub>R' and -S(O)<sub>2</sub>NH<sub>2</sub>, wherein R' represents C<sub>1-2</sub> alkyl;

the heteroaryl moieties in the groups R<sup>5</sup> and R<sup>6</sup> being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C<sub>1-2</sub> alkyl, C<sub>1-2</sub> haloalkyl and di(C<sub>1-2</sub> alkyl)amino; and

the heterocyclyl and carbocyclyl moieties in the R<sup>6</sup> group being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkoxy, C<sub>1-4</sub> haloalkyl and nitro.

20. (Original) A composition according to claim 1, wherein the benzodiazepine derivative of formula (V) is:

Cyclohexanecarboxylic acid 2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

3-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

4-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-trifluoromethylbenzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

Thiophene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-3-amide;

Furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Piperidine-1-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Morpholine-4-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

4-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

3-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

4-Methyl-piperazine-1-carboxylic acid-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

3,4-Dichloro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-trifluoromethylbenzamide;

4-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Chloro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-benzamide

Benzo[b]thiophene-3-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1 H-benzo[e][1,4]diazepin-3-yl)-amide;

2,3-Dihydro-benzofuran-5-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Isoxazole-5-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Benzo[b]thiophene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Thiophen-3-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-isonicotinamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-nicotinamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-methanesulfonamide;

Propane-1-sulfonic acid-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

Butane-1-sulfonic acid-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

2-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzenesulfonamide;

3-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzenesulfonamide;

4-Bromo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzenesulfonamide;

2-Fluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzenesulfonamide;

3-(2-Nitro-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(3-Nitro-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(4-Nitro-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(2-Methoxy-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-(3-Methoxy-benzylamino)-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

5-Phenyl-3-(2-trifluoromethyl-benzylamino)-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

5-Phenyl-3-(3-trifluoromethyl-benzylamino)-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

5-Phenyl-3-(4-trifluoromethyl-benzylamino)-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

3-[(Furan-2-ylmethyl)-amino]-5-phenyl-1,3-dihydro-benzo[e][1,4]diazepin-2-one;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-isobutyramide;  
N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-methanesulfonamide;

Furan-2-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Thiophene-2-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Cyclohexanecarboxylic acid (7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-methoxybenzamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-4-methoxybenzamide;

N-(7-Chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-nitrobenzamide;

2-(2-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

2-(3-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

2-(4-Methoxy-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

2-(4-Nitro-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

2-(3-Nitro-phenyl)N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-(2-trifluoromethyl-phenyl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-(3-trifluoromethyl-phenyl)-acetamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-(4-trifluoromethyl-phenyl)-acetamide;



1-(2-Methoxy-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-urea;

1-(2-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-p-tolyl-urea;

1-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-urea;

(S)-1-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-urea;

4-Methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-4-Methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

5-Acetyl-2-ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-5-Acetyl-2-ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-benzamide;

6-Fluoro-4H-benzo[1,3]dioxine-8-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-6-Fluoro-4H-benzo[1,3]dioxine-8-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-2-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-4-trifluoromethyl-benzamide;

2,4,5-Trifluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-2,4,5-Trifluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(S)-2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

1H-Indole-7-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

(S)-1H-Indole-7-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

3-Methoxy-naphthalene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-3-Methoxy-naphthalene-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

N-[7-Chloro-5-(2-fluoro-phenyl)-2-oxo-2,3-dihydro-1H-benzo[e][1,4]diazepine-3-yl]-4-methoxy-benzamide;

1-(2-Fluoro-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Methoxy-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-urea;

1-(3-Methyl-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-(4-trifluoromethyl-phenyl)-urea;

4-Chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

4-Methoxy-3-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)benzamide;

3-Methoxy-2-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

5-Chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)benzamide;

5-Fluoro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

5-Methoxy-2-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

3-Methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

3-(2-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)propionamide;

3-(3-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-propionamide;

3-(4-Methoxy-phenyl)-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-propionamide;

N-[5-(3-Chloro-phenyl)-2-oxo-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-2-methoxybenzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-4-methoxybenzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-2-nitrobenzamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-4-nitrobenzamide;

4-Methoxy-N-[2-oxo-5-(4-trifluoromethyl-phenyl)-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-benzamide;

2-Methoxy-N-[2-oxo-5-(3-trifluoromethyl-phenyl)-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-benzamide;

4-Methoxy-N-[2-oxo-5-(3-trifluoromethyl-phenyl)-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-benzamide;

2-Ethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2,4-Dimethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Bromo-5-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy-N-[5-(3-methoxy-phenyl)-2-oxo-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-benzamide

N-[5-(3-Methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-4-nitro-benzamide;

2-Methoxy-N-(8-methyl-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Chloro-4-methanesulfonyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Dimethylamino-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-carbamic acid benzyl ester;

1-(3,5-Dimethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-(4-trifluoromethoxy-phenyl)-urea;

1-(4-Bromo-2-trifluoromethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Bromo-benzyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2,3-Dichloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2,6-Dimethyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Chloro-6-methyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(4-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Methylsulfonyl-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2,6-Dichloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

5-tert-Butyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2,5-Dimethoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

1-(2,6-Difluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(3-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(3-Methoxy-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-(3-trifluoromethyl-phenyl)-urea;

1-(3-Chloro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

2-Methoxy-4-methylsulfanyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

4-Methanesulfonyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)terephthalamic acid methyl ester;

2-Fluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2,6-Difluoro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

N-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-propoxy-benzamide;

2-Iodo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

3-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-terephthalamic acid methyl ester;

4-Amino-5-chloro-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-m-tolyl-urea;

2-Methylsulfanyl-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

2-Methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-5-sulfamoyl-benzamide;

2-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-phenyl-propionamide

3-Hydroxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-phenyl-propionamide;

3-(2-Fluoro-phenyl)-1-methyl-1-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

2-Methoxy-N-methyl-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide;

1-tert-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-Cyclohexyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-Ethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

1-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

4,5-Dimethyl-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)amide;

Piperidine-1-carboxylic acid (7-chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]acetamide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-isobutyramide;

Furan-2-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Thiophene-2-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Cyclohexanecarboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Piperidine-1-carboxylic acid [5-(3-chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

N-[5-(3-Chloro-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]isonicotinamide;

5-Methyl-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e] [1,4] diazepin-3-yl)-amide;

Pyrazine-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4] diazepin-3-yl)-amide;

N-[5-(3-Methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-isobutyramide;

Thiophene-2-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl] -amide;

Cyclohexanecarboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Piperidine-1-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl]-amide;

Piperidine-4-carboxylic acid [5-(3-methoxy-phenyl)-2-oxo-5-phenyl-2,3-dihydro-1 H-benzo[e][1,4]diazepin-3-yl]-amide;

Cyclohexanecarboxylic acid (8-chloro-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

Thiophene-2-carboxylic acid (8-methyl-2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-thiophene-2-yl-urea;

1-(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-3-thiophene-3-yl-urea;

Pyridine-2 -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1 ,4] diazepin-3-yl)-amide;

1H-Pyrazole-4-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1 H-benzo[e] [1 ,4] diazepin-3-yl)-amide;

6-Dimethylamino-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-nicotinamide;

2-Ethoxy-naphthalene-1 -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

9-Oxo-9H-fluorene-1 -carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

2-Oxo-2,3-dihydro-benzoimidazole-1-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)carbamic acid tert-butyl ester;

(S)-4,5-Dibromo-furan-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(S)-Benzofuran-2-carboxylic acid (2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-amide;

(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-carbamic acid methyl ester;

(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-carbamic acid ethyl ester;


(2-Oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-carbamic acid isobutyl ester; and

2-Oxo-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-2-thiophene-2-yl-acetamide.

21. (Previously presented) A composition according to claim 2, wherein the benzodiazepine derivative of formula (V) is 1-(2-fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea, 2-methoxy-4-nitro-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide or 4-methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide.

22. (Original) A composition according to claim 21, wherein the benzodiazepine derivative of formula (V) is 1-(2-fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.

23. (Previously presented) A composition according to claim 1, wherein component (a) is a compound of formula (I), or a pharmaceutically acceptable salt thereof,





wherein:

X is a direct link or C<sub>1-6</sub> alkyl; said C<sub>1-6</sub> alkyl being optionally substituted with halogen, oxo, cyano, hydroxyl, OCOR<sub>4</sub> or S(O)<sub>n</sub>-C<sub>1-6</sub> alkyl;

Y is R<sub>4</sub>, NR<sub>4</sub>R<sub>5</sub>, NCOR<sub>4</sub>, =N-OR<sub>4</sub>, -CONHR<sub>4</sub>, COOR<sub>4</sub>, -OR<sub>4</sub>, aryl, heteroaryl, cyclyl or heterocyclyl, where R<sub>4</sub> and R<sub>5</sub> are H or C<sub>1-6</sub> alkyl;

Z is CR<sub>6</sub>R', where R<sub>6</sub> and R' are independently H, or straight, branched or cyclic C<sub>1-6</sub> alkyl;

n is 1-2;

R<sub>1</sub> is H, CONR<sub>4</sub>R<sub>5</sub>, CO<sub>2</sub>R<sub>4</sub> or C<sub>1-6</sub> alkyl, said C<sub>1-6</sub> alkyl can be optionally substituted with OR<sub>4</sub> or NR<sub>8</sub>R<sub>9</sub>;

R<sub>8</sub> and R<sub>9</sub> are each independently H, C<sub>1-6</sub> alkyl, SO<sub>2</sub>R<sub>5</sub>, CO<sub>2</sub>R<sub>4</sub> or COR<sub>4</sub>;

R<sub>2</sub> is selected from the group consisting of H, NH<sub>2</sub>, CONR<sub>6</sub>R', heteroaryl, C<sub>2-6</sub> alkenyl, CO<sub>2</sub>R<sub>4</sub>, N=CPh<sub>2</sub>, C(=NH)NH<sub>2</sub> and C<sub>1-6</sub> alkyl; said alkyl optionally substituted with a member selected from the group consisting of halogen, CN, NR<sub>10</sub>R<sub>11</sub>, OSO<sub>2</sub>R<sub>4</sub> and OR<sub>4</sub>;

R<sub>10</sub> and R<sub>11</sub> are each independently selected from the group consisting of H, C<sub>1-6</sub> alkyl, C<sub>3-6</sub> cycloalkyl, CO<sub>2</sub>R<sub>4</sub>, COR<sub>4</sub> and SO<sub>2</sub>R<sub>4</sub>;

R<sub>3</sub> is selected from the group consisting of (1) CO<sub>2</sub>R<sub>9</sub>; (2) C<sub>1-6</sub> alkyl optionally substituted with CN, OR<sub>4</sub> or NR<sub>6</sub>R'; (3) H; and (4) C<sub>2-6</sub> alkenyl substituted with CN;

Q is a member selected from the group consisting of




A is C or N, optionally substituted with H, halogen, C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, cyano-C<sub>1-6</sub> alkyl, CO<sub>2</sub>R<sub>4</sub>, aryl, benzoaminocarbonyl, hydroxybenzyl, SO<sub>2</sub>NR<sub>4</sub>R<sub>5</sub> or C<sub>3-6</sub> cycloalkyl. Where A is carbon, it may also be optionally substituted by O or S via a double bond;

B is C or N; where B is C it may be optionally substituted by H, C<sub>1-6</sub> alkyl, NO<sub>2</sub>, CN, halogen, COR<sub>4</sub>, COOR<sub>4</sub>, CONHR<sub>4</sub>C(=NH)NH<sub>2</sub> or C(=N0H)NH<sub>2</sub>.


24. (Previously presented) A composition according to claim 23, wherein at least two of R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> are hydrogen, and the other is hydrogen or -C(NH)-NH<sub>2</sub> and/or either -X-Y is H, or X

is a C<sub>1</sub>-C<sub>6</sub> alkylene group which is unsubstituted or substituted by a hydroxy group and Y is H, OH, CN, -NR'R'', -COR', -SO<sub>2</sub>R' or phenyl, wherein R' and R'' are the same or different and represent a C<sub>1</sub>-C<sub>4</sub> alkyl group and/or Z is -CH<sub>2</sub>- and/or Q is a moiety



wherein B is -CH- or -N-, A<sub>1</sub> is -C(O)- or -NH- and A<sub>2</sub> is -CH<sub>2</sub>-, -CHR'- or -NR''-, wherein R' is a halogen atom and R'' represents a hydrogen atom or a C<sub>1-4</sub> alkyl, C<sub>2-4</sub> alkenyl, C<sub>3-6</sub> cycloalkyl, -SO<sub>2</sub>-(C<sub>1-6</sub> alkyl), -SO<sub>2</sub>-N(C<sub>1-6</sub> alkyl)<sub>2</sub> or -(CO-NH)<sub>a</sub>-(C<sub>1-4</sub> alkyl)-phenyl group, wherein a is 0 or 1, which group is unsubstituted or is substituted with a hydroxy or cyano substituent.

25. (Withdrawn) A composition according to claim 1, wherein component (a) is a compound of the formula (II), or a pharmaceutically acceptable salt thereof



wherein:

L<sub>1</sub> is -CH<sub>2</sub>- or -CHR<sub>2</sub>-CO-

each X is the same or different and is CH or N;

each R<sub>1</sub> is the same or different and is C<sub>1-6</sub> alkyl, halogen, hydroxy, phenyl or (CH<sub>2</sub>)<sub>m</sub>=NH<sub>2</sub>;

n is 1 or 2;

R<sub>2</sub> is C<sub>1-6</sub> alkoxy or C<sub>1-6</sub> alkoxy-phenyl;

R<sub>3</sub> is C<sub>1-6</sub> alkyl;

L<sub>2</sub> is -CH<sub>2</sub>- or -NH-;

Y is C<sub>1-6</sub> alkyl or C<sub>1-6</sub> alkenyl;

Z is H, N(R<sub>4</sub>)<sub>2</sub>-, -C(=O)-R<sub>5</sub>, -C(=CH<sub>2</sub>)-R<sub>5</sub>, -CH(OH)-R<sub>5</sub>, -CH(CH<sub>3</sub>)-R<sub>5</sub>, -CH(OCH<sub>3</sub>)-R<sub>5</sub>; each R<sub>4</sub> is the same or different and is H, C1-6 alkyl.

R<sub>5</sub> is C<sub>1-6</sub>alkyl-carbonyl, amino, hydroxyl, aryl, heteroaryl, carbocyclyl, heterocyclyl; and m = 1-6

26. (Previously presented) A composition according to claim 1, wherein component (a) is:  
1-Cyclopropyl-3-[1-(4-hydroxy-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-imidazo[4, 5-c]pyridin-2-one

{2-[2-(1,2-Dihydro-benzotriazol-1-ylmethyl)-benzimidazol-1-yl]ethyl}-diethyl-amine

{2-[2-(3-Iodo-2,3-dihydro-indazol-1-ylmethyl)-benzimidazol-1-yl]-ethyl}-dimethyl-amine

1-Isopropenyl-3-[1-(3-methyl-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

1-(4-Hydroxy-benzyl)-3-[1-(3-methyl-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

1-Isopropenyl-3-[1-(3-oxo-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

1-Ethyl-3-[1-(2-hydroxy-2-phenyl-ethyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

1-Ethyl-3-[1-(4-hydroxy-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

7-[2-(3-Isopropenyl-2-oxo-2,3-dihydrobenzimidazol-1-ylmethyl)-benzimidazol-1-yl]-heptanenitril

5-{3-[1-(3-Methanesulfonyl-propyl)-1H-benzimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzimidazol-1-yl}-pentanenitrile

3-[1-(3-Methyl-butyl)-1H-benzimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzimidazol-1-carboxylic acid benzylamide

1-Methanesulfonyl-3-[1-(3-methyl-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-benzimidazol-2-one

3-[1-(3-Methyl-butyl)-1H-benzimidazol-2-ylmethyl]-2-oxo-2,3-dihydro-benzimidazol-1-sulfonic acid dimethylamide

1-Isopropenyl-3-(1-propyl-1H-benzimidazol-2-ylmethyl)-1,3-dihydro-imidazo[4,5-c]pyridine-2-one

Bis(5-amidino-2-benzimidazolyl)-methane

2-{2-[1-[1-(2-Amino-ethyl)-piperidin-4-ylamino]-4-methyl-benzimidazol-1-ylmethyl]-6-methyl-pyridin-3-ol  
or a pharmaceutically acceptable salt thereof.

27. (Previously presented) A composition according to claim 1, wherein component (a) is 1-cyclopropyl-3-[1-(4-hydroxy-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-imidazo[4,5-c]pyridin-2-one, {2-[2-(1,2-dihydro-benzotriazol-1-ylmethyl)-benzimidazol-1-yl]] ethyl}-diethyl-amine, {2-[2-(3-iodo-2,3-dihydro-indazol-1-ylmethyl)-benzimidazol-1-yl]-ethyl}-dimethyl-amine or a pharmaceutically acceptable salt thereof.

28. (Previously presented) A composition according to claim 1, wherein component (a) is 1-cyclopropyl-3-[1-(4-hydroxy-butyl)-1H-benzimidazol-2-ylmethyl]-1,3-dihydro-imidazo[4,5-c]pyridin-2-one or 1-Isopropenyl-3-(1-propyl-1H-benzimidazol-2-ylmethyl)-1,3-dihydro-imidazo[4,5-c]pyridine-2-one or a pharmaceutically acceptable salt thereof.

29. (Previously presented) A composition according to claim 1, wherein component (a) is present in an amount of from 0.025 wt% to 10 wt%.

30. (Previously presented) A composition according to claim 1, wherein component (b) is present in an amount of 0.025 wt% to 10 wt%.

31. (Previously presented) A composition according to claim 1, for use in the treatment of the human or animal body.

32. (Previously presented) The use of:

- (a) an RSV fusion protein inhibitor as defined in claim 1; and
- (b) a benzodiazepine derivative defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection.

33. (Previously presented) The use according to claim 32, wherein component (a) is present in an amount of from 0.025 wt% to 10 wt% and component (b) is present in an amount of 0.025 wt% to 10 wt%.
34. (Previously presented) A product comprising:
- (a) an RSV fusion protein inhibitor as defined in claim 1; and
  - (b) a benzodiazepine derivative as defined claim 1;
- for separate, simultaneous or sequential use in the treatment of the human or animal body.
35. (Currently amended) A product according to claim 34 for separate, simultaneous or sequential use in treating ~~or preventing~~ an RSV infection.
36. (Previously presented) A method of treating or preventing an RSV infection in a patient, which method comprises the administration to said patient of:
- (a) an RSV fusion protein inhibitor as defined in claim 1; and
  - (b) a benzodiazepine derivative as defined in claim 1.
37. (Previously presented) The use of an RSV fusion protein inhibitor as defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection, by co-administration with a benzodiazepine derivative as defined in claim 1.
38. (Previously presented) The use of a benzodiazepine derivative as defined in claim 1, in the manufacture of a medicament for use in treating or preventing an RSV infection, by co-administration with an RSV fusion protein inhibitor as defined in claim 1.